

# MBA

# 2022.1

## Clevis Pins

Carbon Steel and Stainless Steel



Grooved



Pinned



Adjustable



Self Locking

Depending on the type of pin, and your application you will need to match the clevis pin with an appropriate retaining pin or clip.

Some examples of retaining pins and clips include...

- Split pins
- Roll pins
- Coiled pins
- R-clips
- E-clips
- Circlips

Also check out the Ball Lock Pins catalogue for an extended range of self locking pins.

Clevis pins are used as a quick and secure fastener instead of bolts or rivets. Designed with a flat head on one end and groove or cross-hole at the other, a clevis pin is inserted through the holes at the pronged ends of a clevis and is kept in place by a locking pin or clip.

**NOTE! Locking pins or clips need to be purchased separately**

Type the part number from this catalogue into the search box on any web page for more information, pricing and availability.

# Part Numbering

CLP	-	095	-	0508	G	-	S6	-	AD
1		2		3	4		5		6

## 1: Clevis Pin Reference:

CLP: Clevis Pin  
BLP: Self Locking Ball Type  
(Note, only basic ball lock pins are shown in this catalogue. A more comprehensive range of ball lock pins are included in the BALL LOCK PINS catalogue)

## 2: Pin Diameter (Nominal):

Diameter is in mm to 1 decimal place with the decimal point omitted.

eg;  
060 = 6mm  
095 = 9.5mm  
120 = 12mm

## 3: Effective Length:

Effective length is to 1 decimal place with the decimal point removed.

eg;  
0508 = 50.8mm

## 4: Material

Blank: Pin or Ball Locking Type  
G: Grooved type for clip locking


## 5: Material

CZ: Carbon Steel Zinc Plated  
P: Plain carbon steel  
S4: 300 Grade Stainless Steel  
S6: 316 Grade Stainless Steel

## 6: Special Type

AD: Adjustable Type

# Basic Diagrams



## Adjustable Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Min. Grip Length mm	Nom. Length (L) mm	Part Number	
6.35 (0.250")	32.00 (1.260")	76.20	CLP-064-0762-P-AD	Adjustable Pin Type
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Adjustable Pin Locking</a>
9.53 (0.375")	15.00 (0.591")	50.80	CLP-095-0508-P-AD	Adjustable Pin Type
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Adjustable Pin Locking</a>

## Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
4.76 (0.187")	9.12 (0.359")	12.70	CLP-048-0091-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	9.13 (0.359")	12.70	CLP-048-0091-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	9.32 (0.367")	12.70	CLP-048-0093-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	11.70 (0.461")	15.08	CLP-048-0117-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	12.30 (0.484")	15.88	CLP-048-0123-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	12.30 (0.484")	15.88	CLP-048-0123-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	12.30 (0.492")	15.88	CLP-048-0125-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	15.47 (0.609")	19.05	CLP-048-0155-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	15.47 (0.609")	19.05	CLP-048-0155-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	15.67 (0.617")	19.05	CLP-048-0157-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	18.65 (0.734")	22.23	CLP-048-0187-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	18.85 (0.742")	22.23	CLP-048-0188-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	20.64 (0.813")	25.40	BLP-048-0206-CZ	Self Locking Ball Type - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
4.76 (0.187")	21.82 (0.859")	25.40	CLP-048-0218-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	21.82 (0.859")	25.40	CLP-048-0218-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	22.02 (0.867")	25.40	CLP-048-0220-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	25.00 (0.984")	28.58	CLP-048-0250-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	27.66 (1.089")	26.67	CLP-048-0277-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	28.17 (1.109")	31.75	CLP-048-0282-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	28.17 (1.109")	31.75	CLP-048-0282-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	28.37 (1.117")	31.75	CLP-048-0284-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	33.34 (1.313")	38.10	BLP-048-0333-CZ	Self Locking Ball Type - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
4.76 (0.187")	34.51 (1.359")	38.10	CLP-048-0345-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	34.52 (1.359")	38.10	CLP-048-0345-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	34.72 (1.367")	38.10	CLP-048-0347-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	40.87 (1.609")	44.45	CLP-048-0409-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	40.87 (1.609")	44.45	CLP-048-0409-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	41.07 (1.617")	44.45	CLP-048-0411-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
4.76 (0.187")	46.04 (1.813")	50.80	BLP-048-0460-CZ	Self Locking Ball Type - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
4.76 (0.187")	47.22 (1.859")	50.80	CLP-048-0472-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	47.22 (1.859")	50.80	CLP-048-0472-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	47.42 (1.867")	50.80	CLP-048-0474-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	53.57 (2.109")	57.15	CLP-048-0536-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	58.74 (2.313")	63.50	BLP-048-0587-CZ	Self Locking Ball Type - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
4.76 (0.187")	60.12 (2.367")	63.50	CLP-048-0601-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
4.76 (0.187")	71.44 (2.813")	76.20	BLP-048-0714-CZ	Self Locking Ball Type - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
4.76 (0.187")	72.62 (2.859")	76.20	CLP-048-0726-S4	Pin Locking Type (2.0 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
4.76 (0.187")	72.62 (2.859")	76.20	CLP-048-0726-S6	Pin Locking Type (2.0 mm) - 316 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
4.76 (0.187")	72.82 (2.867")	76.20	CLP-048-0728-CZ	Pin Locking Type (2.0 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.00 (0.236")	16.30 (0.642")	20.00	CLP-060-0163-CZ	Pin Locking Type (1.6 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.00 (0.236")	18.06 (0.711")	20.00	CLP-060-0181G-S4	Grooved Locking Type (0.7 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
6.00 (0.236")	18.06 (0.711")	20.00	CLP-060-0181G-CZ	Grooved Locking Type (0.7 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
6.00 (0.236")	21.70 (0.854")	25.00	CLP-060-0217-CZ	Pin Locking Type (1.6 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.00 (0.236")	23.06 (0.908")	25.00	CLP-060-0231G-S4	Grooved Locking Type (0.7 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
6.00 (0.236")	23.06 (0.908")	25.00	CLP-060-0231G-CZ	Grooved Locking Type (0.7 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
6.00 (0.236")	26.70 (1.051")	30.00	CLP-060-0267-CZ	Pin Locking Type (1.6 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.00 (0.236")	28.06 (1.105")	30.00	CLP-060-0281G-S4	Grooved Locking Type (0.7 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
6.00 (0.236")	28.06 (1.105")	30.00	CLP-060-0281G-CZ	Grooved Locking Type (0.7 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
6.00 (0.236")	31.70 (1.248")	35.00	CLP-060-03170-CZ	Pin Locking Type (1.6 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.00 (0.236")	33.06 (1.302")	35.00	CLP-060-0331G-S4	Grooved Locking Type (0.7 mm) - 300 Grade Stainless
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
6.00 (0.236")	33.06 (1.302")	35.00	CLP-060-0331G-CZ	Grooved Locking Type (0.7 mm) - Zinc Plated
-0.04 / -0.16 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
6.35 (0.250")	9.12 (0.359")	12.70	CLP-064-0091-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	9.12 (0.359")	12.70	CLP-064-0091-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
6.35 (0.250")	9.12 (0.359")	12.70	CLP-064-0091-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	12.30 (0.484")	15.88	CLP-064-0123-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	12.30 (0.484")	15.88	CLP-064-0123-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	15.47 (0.609")	19.05	CLP-064-0155-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	15.47 (0.609")	19.05	CLP-064-0155-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
6.35 (0.250")	15.47 (0.609")	19.05	CLP-064-0155-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	16.86 (0.664")	20.24	CLP-064-0169-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	17.07 (0.672")	19.46	CLP-064-0171-P	Pin Locking Type (2.4 mm) - Plain
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Low Carbon Steel - Pin Locking</a>

Stocked or Short Delivery     
 Usually Available Short Delivery     
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
6.35 (0.250") -0.05 / -0.18 (mm)	18.64 (0.734") +0.51 / -0.00	22.23 +0.51 / -0.00	CLP-064-0186-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	19.05 (0.750") +0.51 / -0.00	25.40 +0.51 / -0.00	BLP-064-0191-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
6.35 (0.250") -0.05 / -0.18 (mm)	21.82 (0.859") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-064-0218-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	21.82 (0.859") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-064-0218-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	22.02 (0.867") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-064-0220-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	25.00 (0.984") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-064-0250-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	25.00 (0.984") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-064-0250-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	25.00 (0.984") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-064-0250-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	28.17 (1.109") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-064-0282-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	28.17 (1.109") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-064-0282-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	28.37 (1.117") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-064-0284-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	31.34 (1.234") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-064-0313-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	31.35 (1.234") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-064-0313-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	31.35 (1.234") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-064-0313-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	31.35 (1.234") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-064-0314-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	31.75 (1.250") +0.51 / -0.00	38.10 +0.51 / -0.00	BLP-064-0318-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
6.35 (0.250") -0.05 / -0.18 (mm)	34.51 (1.359") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-064-0345-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	34.52 (1.359") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-064-0345-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	34.72 (1.367") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-064-0347-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	37.70 (1.484") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-064-0377-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	37.70 (1.484") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-064-0377-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	37.90 (1.492") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-064-0379-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	40.87 (1.609") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-064-0409-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	40.87 (1.609") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-064-0409-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	41.07 (1.617") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-064-0411-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	44.05 (1.734") +0.51 / -0.00	47.63 +0.51 / -0.00	CLP-064-0440-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	44.05 (1.734") +0.51 / -0.00	47.63 +0.51 / -0.00	CLP-064-0440-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	44.25 (1.742") +0.51 / -0.00	47.63 +0.51 / -0.00	CLP-064-0442-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	44.45 (1.750") +0.51 / -0.00	50.80 +0.51 / -0.00	BLP-064-0445-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
6.35 (0.250") -0.05 / -0.18 (mm)	47.23 (1.859") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-064-0472-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	47.23 (1.859") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-064-0472-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	47.23 (1.859") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-064-0472-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
6.35 (0.250") -0.05 / -0.18 (mm)	50.60 (1.992") +0.51 / -0.00	53.98 +0.51 / -0.00	CLP-064-0506-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking

Stocked or Short Delivery     
 Usually Available Short Delivery     
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
6.35 (0.250")	53.57 (2.109")	57.15	CLP-064-0536-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	53.57 (2.109")	57.15	CLP-064-0536-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
6.35 (0.250")	53.77 (2.117")	57.15	CLP-064-0538-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	56.95 (2.242")	60.33	CLP-064-0569-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	57.15 (2.250")	63.50	BLP-064-0572-CZ	Self Locking Ball Type - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
6.35 (0.250")	59.91 (2.359")	63.50	CLP-064-0599-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
6.35 (0.250")	59.92 (2.359")	63.50	CLP-064-0599-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	60.12 (2.367")	63.50	CLP-064-0601-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	63.30 (2.492")	66.68	CLP-064-0633-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	66.27 (2.609")	69.85	CLP-064-0663-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	66.47 (2.617")	69.85	CLP-064-0665-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	69.85 (2.750")	76.20	BLP-064-0699-CZ	Self Locking Ball Type - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
6.35 (0.250")	72.62 (2.859")	76.20	CLP-064-0726-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	72.62 (2.859")	76.20	CLP-064-0726-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
6.35 (0.250")	72.82 (2.867")	76.20	CLP-064-0728-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	79.17 (3.117")	82.55	CLP-064-0792-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	82.55 (3.250")	88.90	BLP-064-0826-CZ	Self Locking Ball Type - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
6.35 (0.250")	85.52 (3.367")	88.90	CLP-064-0855-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	95.25 (3.750")	101.60	BLP-064-0953-CZ	Self Locking Ball Type - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
6.35 (0.250")	98.02 (3.859")	101.60	CLP-064-0980-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
6.35 (0.250")	98.02 (3.859")	101.60	CLP-064-0980-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
6.35 (0.250")	98.22 (3.867")	101.60	CLP-064-0982-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
6.35 (0.250")	120.65 (4.750")	127.00	BLP-064-1207-CZ	Self Locking Ball Type - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
6.35 (0.250")	121.04 (4.867")	127.00	CLP-064-1236-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313")	7.14 (0.281")	12.70	CLP-079-0071-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313")	7.14 (0.281")	12.70	CLP-079-0071-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313")	13.49 (0.531")	19.05	CLP-079-0135-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313")	13.49 (0.531")	19.05	CLP-079-0135-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313")	13.49 (0.531")	19.05	CLP-079-0135-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313")	15.87 (0.625")	25.40	BLP-079-0159-CZ	Self Locking Ball Type - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
7.94 (0.313")	16.67 (0.656")	22.23	CLP-079-0167-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313")	19.05 (0.750")	24.61	CLP-079-0190-CZ	Pin Locking Type (2.4 mm) - Zinc Plated
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313")	19.84 (0.781")	25.40	CLP-079-0198-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless
-0.05 / -0.18 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>

Stocked or Short Delivery     
  Usually Available Short Delivery     
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
7.94 (0.313") -0.05 / -0.18 (mm)	19.84 (0.781") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-079-0198-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	19.84 (0.781") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-079-0198-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	20.62 (0.812") +0.51 / -0.00	23.83 +0.51 / -0.00	CLP-079-0206-P	Pin Locking Type (2.4 mm) - Plain <a href="#">Pins - Clevis - Low Carbon Steel - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	23.02 (0.906") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-079-0230-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	23.02 (0.906") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-079-0230-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	26.18 (1.031") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-079-0262-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	26.19 (1.031") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-079-0262-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	26.19 (1.031") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-079-0262-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	28.58 (1.125") +0.51 / -0.00	38.10 +0.51 / -0.00	BLP-079-0286-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
7.94 (0.313") -0.05 / -0.18 (mm)	29.37 (1.156") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-079-0294-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	29.37 (1.156") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-079-0294-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	29.37 (1.156") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-079-0294-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	32.54 (1.281") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-079-0325-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	32.54 (1.281") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-079-0325-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	32.54 (1.281") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-079-0325-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	35.72 (1.406") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-079-0357-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	35.72 (1.406") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-079-0357-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	38.89 (1.531") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-079-0389-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	38.89 (1.531") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-079-0389-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	38.89 (1.531") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-079-0389-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	41.27 (1.625") +0.51 / -0.00	50.80 +0.51 / -0.00	BLP-079-0413-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
7.94 (0.313") -0.05 / -0.18 (mm)	42.07 (1.656") +0.51 / -0.00	47.63 +0.51 / -0.00	CLP-079-0421-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	45.24 (1.781") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-079-0452-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	45.24 (1.781") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-079-0452-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	45.24 (1.781") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-079-0452-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	48.42 (1.906") +0.51 / -0.00	53.98 +0.51 / -0.00	CLP-079-0484-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	50.00 (1.969") +0.51 / -0.00	55.56 +0.51 / -0.00	CLP-079-0500-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	51.59 (2.031") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-079-0516-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	51.59 (2.031") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-079-0516-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	51.59 (2.031") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-079-0516-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	53.97 (2.125") +0.51 / -0.00	63.50 +0.51 / -0.00	BLP-079-0540-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
7.94 (0.313") -0.05 / -0.18 (mm)	54.77 (2.156") +0.51 / -0.00	60.33 +0.51 / -0.00	CLP-079-0548-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	57.94 (2.281") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-079-0579-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>

Stocked or Short Delivery     
 Usually Available Short Delivery     
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
7.94 (0.313") -0.05 / -0.18 (mm)	57.94 (2.281") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-079-0579-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	57.94 (2.281") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-079-0579-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	61.12 (2.406") +0.51 / -0.00	66.68 +0.51 / -0.00	CLP-079-0611-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	64.29 (2.531") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-079-0643-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	64.29 (2.531") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-079-0643-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	64.29 (2.531") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-079-0643-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	66.68 (2.625") +0.51 / -0.00	76.20 +0.51 / -0.00	BLP-079-0667-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
7.94 (0.313") -0.05 / -0.18 (mm)	70.64 (2.781") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-079-0706-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	70.64 (2.781") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-079-0706-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	70.64 (2.781") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-079-0706-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	79.37 (3.125") +0.51 / -0.00	88.90 +0.51 / -0.00	BLP-079-0794-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
7.94 (0.313") -0.05 / -0.18 (mm)	83.34 (3.281") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-079-0833-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	83.34 (3.281") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-079-0833-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	83.34 (3.281") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-079-0833-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	96.04 (3.781") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-079-0960-S6	Pin Locking Type (2.0 to 2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	96.04 (3.781") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-079-0960-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	96.04 (3.781") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-079-0960-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
7.94 (0.313") -0.05 / -0.18 (mm)	146.84 (5.781") +0.51 / -0.00	152.40 +0.51 / -0.00	CLP-079-1468-CZ	Pin Locking Type (2.4 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	16.00 (0.630") +0.51 / -0.00	20.00 +0.51 / -0.00	CLP-080-0160-CZ	Pin Locking Type (2.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	17.56 (0.691") +0.51 / -0.00	20.00 +0.51 / -0.00	CLP-080-0176G-S4	Grooved Locking Type (0.9 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	17.56 (0.691") +0.51 / -0.00	20.00 +0.51 / -0.00	CLP-080-0176G-CZ	Grooved Locking Type (0.9 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	21.00 (0.827") +0.51 / -0.00	25.00 +0.51 / -0.00	CLP-080-0210D-CZ	Pin Locking Type (2.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	21.00 (0.827") +0.51 / -0.00	25.00 +0.51 / -0.00	CLP-080-0210-CZ	Pin Locking Type (2.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	22.56 (0.888") +0.51 / -0.00	25.00 +0.51 / -0.00	CLP-080-0226G-S4	Grooved Locking Type (0.9 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	22.56 (0.888") +0.51 / -0.00	25.00 +0.51 / -0.00	CLP-080-0226G-CZ	Grooved Locking Type (0.9 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	26.00 (1.024") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-080-0260-CZ	Pin Locking Type (2.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	27.56 (1.085") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-080-0276G-S4	Grooved Locking Type (0.9 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	27.56 (1.085") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-080-0276G-CZ	Grooved Locking Type (0.9 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	31.00 (1.220") +0.51 / -0.00	35.00 +0.51 / -0.00	CLP-080-0310-CZ	Pin Locking Type (2.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	32.56 (1.282") +0.51 / -0.00	35.00 +0.51 / -0.00	CLP-080-0326G-S4	Grooved Locking Type (0.9 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Groove Locking</a>
8.00 (0.315") -0.05 / -0.18 (mm)	32.56 (1.282") +0.51 / -0.00	35.00 +0.51 / -0.00	CLP-080-0326G-CZ	Grooved Locking Type (0.9 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Groove Locking</a>
9.53 (0.375") -0.05 / -0.18 (mm)	13.09 (0.515") +0.51 / -0.00	19.05 +0.51 / -0.00	CLP-095-0131-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
9.53 (0.375") -0.05 / -0.18 (mm)	13.09 (0.515") +0.51 / -0.00	19.05 +0.51 / -0.00	CLP-095-0131-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
9.53 (0.375") -0.05 / -0.18 (mm)	13.09 (0.515") +0.51 / -0.00	19.05 +0.51 / -0.00	CLP-095-0131-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	15.87 (0.625") +0.51 / -0.00	25.40 +0.51 / -0.00	BLP-095-0159-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
9.53 (0.375") -0.05 / -0.18 (mm)	19.44 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-095-0194-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	19.44 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-095-0194-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	19.44 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-095-0194-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	19.45 (0.766") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-095-0195-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	21.82 (0.859") +0.51 / -0.00	27.78 +0.51 / -0.00	CLP-095-0218-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	22.62 (0.890") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-095-0226-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	22.62 (0.890") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-095-0226-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	22.62 (0.890") +0.51 / -0.00	28.58 +0.51 / -0.00	CLP-095-0226-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	23.83 (0.938") +0.51 / -0.00	26.97 +0.51 / -0.00	CLP-095-0238-P	Pin Locking Type (2.4 mm) - Plain Pins - Clevis - Low Carbon Steel - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	25.79 (1.015") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-095-0258-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	25.79 (1.015") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-095-0258-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	25.79 (1.015") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-095-0258-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	27.36 (1.077") +0.51 / -0.00	33.32 +0.51 / -0.00	CLP-095-0274-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	28.58 (1.125") +0.51 / -0.00	38.10 +0.51 / -0.00	BLP-095-0286-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
9.53 (0.375") -0.05 / -0.18 (mm)	28.97 (1.140") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-095-0290-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	28.97 (1.140") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-095-0290-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	28.97 (1.140") +0.51 / -0.00	34.93 +0.51 / -0.00	CLP-095-0290-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-095-0321-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-095-0321-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-095-0321-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	32.15 (1.266") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-095-0322-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	35.32 (1.390") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-095-0353-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	35.32 (1.390") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-095-0353-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	35.32 (1.390") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-095-0353-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-095-0385-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.17 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-095-0385-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-095-0385-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	41.28 (1.625") +0.51 / -0.00	50.80 +0.51 / -0.00	BLP-095-0413-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
9.53 (0.375") -0.05 / -0.18 (mm)	41.67 (1.640") +0.51 / -0.00	47.63 +0.51 / -0.00	CLP-095-0417-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-095-0448-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-095-0448-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
9.53 (0.375") -0.05 / -0.18 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-095-0448-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	44.85 (1.766") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-095-0449-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	48.02 (1.890") +0.51 / -0.00	53.98 +0.51 / -0.00	CLP-095-0480-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-095-0512-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-095-0512-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-095-0512-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	53.97 (2.125") +0.51 / -0.00	63.50 +0.51 / -0.00	BLP-095-0540-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
9.53 (0.375") -0.05 / -0.18 (mm)	54.37 (2.140") +0.51 / -0.00	60.33 +0.51 / -0.00	CLP-095-0544-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	54.37 (2.140") +0.51 / -0.00	60.33 +0.51 / -0.00	CLP-095-0544-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-095-0575-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-095-0575-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-095-0575-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	60.72 (2.390") +0.51 / -0.00	66.68 +0.51 / -0.00	CLP-095-0607-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	63.89 (2.515") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-095-0639-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	63.89 (2.515") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-095-0639-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	66.68 (2.625") +0.51 / -0.00	76.20 +0.51 / -0.00	BLP-095-0667-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
9.53 (0.375") -0.05 / -0.18 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-095-0702-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-095-0702-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-095-0702-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	70.25 (2.766") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-095-0703-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	76.59 (3.015") +0.51 / -0.00	82.55 +0.51 / -0.00	CLP-095-0766-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-095-0829-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-095-0829-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-095-0829-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	89.29 (3.515") +0.51 / -0.00	95.25 +0.51 / -0.00	CLP-095-0893-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	92.07 (3.625") +0.51 / -0.00	101.60 +0.51 / -0.00	BLP-095-0921-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
9.53 (0.375") -0.05 / -0.18 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-095-0956-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-095-0956-S6	Pin Locking Type (2.4 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-095-0956-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	95.65 (3.766") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-095-0957-S4	Pin Locking Type (2.4 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	101.60 (4.000") +0.51 / -0.00		CLP-095-1016-CZ-H	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Straight - Plain - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	108.34 (4.265") +0.51 / -0.00	114.30 +0.51 / -0.00	CLP-095-1083-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
9.53 (0.375") -0.05 / -0.18 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-095-1210-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking

Stocked or Short Delivery     
 Usually Available Short Delivery     
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
9.53 (0.375") -0.05 / -0.18 (mm)	149.60 (5.890") +0.51 / -0.00	155.58 +0.51 / -0.00	CLP-095-1496-CZ	Pin Locking Type (2.4 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
10.00 (0.394") -0.05 / -0.18 (mm)	18.00 (0.709") +0.51 / -0.00	25.00 +0.51 / -0.00	CLP-100-0180-CZ	Pin Locking Type (3.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
10.00 (0.394") -0.05 / -0.18 (mm)	21.85 (0.860") +0.51 / -0.00	25.00 +0.51 / -0.00	CLP-100-0219G-S4	Grooved Locking Type (1.2 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	21.85 (0.860") +0.51 / -0.00	25.00 +0.51 / -0.00	CLP-100-0219G-CZ	Grooved Locking Type (1.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	23.00 (0.906") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-100-0230-CZ	Pin Locking Type (3.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
10.00 (0.394") -0.05 / -0.18 (mm)	26.85 (1.057") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-100-0269G-S4	Grooved Locking Type (1.2 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	26.85 (1.057") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-100-0269G-CZ	Grooved Locking Type (1.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	34.40 (1.354") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-100-0344-CZ	Pin Locking Type (3.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
10.00 (0.394") -0.05 / -0.18 (mm)	36.85 (1.451") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-100-0369G-S4	Grooved Locking Type (1.2 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	36.85 (1.451") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-100-0369G-CZ	Grooved Locking Type (1.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	43.00 (1.693") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-100-0430-CZ	Pin Locking Type (3.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
10.00 (0.394") -0.05 / -0.18 (mm)	46.85 (1.844") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-100-0469G-S4	Grooved Locking Type (1.2 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	46.85 (1.844") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-100-0469G-CZ	Grooved Locking Type (1.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	53.00 (2.087") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-100-0530-CZ	Pin Locking Type (3.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
10.00 (0.394") -0.05 / -0.18 (mm)	56.85 (2.238") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-100-0569G-S4	Grooved Locking Type (1.2 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	56.85 (2.238") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-100-0569G-CZ	Grooved Locking Type (1.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	63.00 (2.480") +0.51 / -0.00	70.00 +0.51 / -0.00	CLP-100-0630-CZ	Pin Locking Type (3.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
10.00 (0.394") -0.05 / -0.18 (mm)	66.85 (2.632") +0.51 / -0.00	70.00 +0.51 / -0.00	CLP-100-0669G-S4	Grooved Locking Type (1.2 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
10.00 (0.394") -0.05 / -0.18 (mm)	66.85 (2.632") +0.51 / -0.00	70.00 +0.51 / -0.00	CLP-100-0669G-CZ	Grooved Locking Type (1.2 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
11.11 (0.437") -0.05 / -0.18 (mm)	19.43 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-111-0194-P	Pin Locking Type (3.0 mm) - Plain Pins - Clevis - Low Carbon Steel - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	19.44 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-111-0194-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	25.79 (1.015") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-111-0258-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	25.79 (1.015") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-111-0258-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-111-0321-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-111-0321-S6	Pin Locking Type (3.0 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-111-0321-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	32.15 (1.266") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-111-0322-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	35.32 (1.390") +0.51 / -0.00	41.28 +0.51 / -0.00	CLP-111-0353-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-111-0385-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-111-0385-S6	Pin Locking Type (3.0 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-111-0385-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-111-0448-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-111-0448-S6	Pin Locking Type (3.0 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking

Stocked or Short Delivery     
 Usually Available Short Delivery     
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
11.11 (0.437") -0.05 / -0.18 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-111-0448-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	44.85 (1.766") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-111-0449-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-111-0512-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-111-0575-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-111-0575-S6	Pin Locking Type (3.0 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-111-0575-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	63.89 (2.515") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-111-0639-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	70.23 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-111-0702-P	Pin Locking Type (3.0 mm) - Plain Pins - Clevis - Low Carbon Steel - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-111-0702-S4	Pin Locking Type (3.0 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-111-0702-S6	Pin Locking Type (3.0 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-111-0702-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-111-0829-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
11.11 (0.437") -0.05 / -0.18 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-111-0956-CZ	Pin Locking Type (3.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
12.00 (0.472") -0.05 / -0.18 (mm)	23.00 (0.906") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-120-0230-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
12.00 (0.472") -0.05 / -0.18 (mm)	26.75 (1.053") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-120-0268G-S4	Grooved Locking Type (1.3 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	26.75 (1.053") +0.51 / -0.00	30.00 +0.51 / -0.00	CLP-120-0268G-CZ	Grooved Locking Type (1.3 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	28.00 (1.102") +0.51 / -0.00	35.00 +0.51 / -0.00	CLP-120-0280-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
12.00 (0.472") -0.05 / -0.18 (mm)	31.75 (1.250") +0.51 / -0.00	35.00 +0.51 / -0.00	CLP-120-0318G-S4	Grooved Locking Type (1.3 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	31.75 (1.250") +0.51 / -0.00	35.00 +0.51 / -0.00	CLP-120-0318G-CZ	Grooved Locking Type (1.3 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	33.00 (1.299") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-120-0330-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
12.00 (0.472") -0.05 / -0.18 (mm)	36.75 (1.447") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-120-0368G-S4	Grooved Locking Type (1.3 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	36.75 (1.447") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-120-0368G-CZ	Grooved Locking Type (1.3 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	43.00 (1.693") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-120-0430-C	Pin Locking Type (4.0 mm) - Plain Pins - Clevis - Low Carbon Steel - Pin Locking
12.00 (0.472") -0.05 / -0.18 (mm)	43.00 (1.693") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-120-0430-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
12.00 (0.472") -0.05 / -0.18 (mm)	46.75 (1.841") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-120-0468G-S4	Grooved Locking Type (1.3 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	46.75 (1.841") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-120-0468G-CZ	Grooved Locking Type (1.3 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	53.00 (2.087") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-120-0530-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
12.00 (0.472") -0.05 / -0.18 (mm)	56.75 (2.234") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-120-0568G-S4	Grooved Locking Type (1.3 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Groove Locking
12.00 (0.472") -0.05 / -0.18 (mm)	56.75 (2.234") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-120-0568G-CZ	Grooved Locking Type (1.3 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Groove Locking
12.70 (0.500") -0.10 / -0.23 (mm)	12.70 (0.500") +0.51 / -0.00	25.40 +0.51 / -0.00	BLP-127-0127-CZ	Self Locking Ball Type - Zinc Plated Pins - Clevis - Self Locking - Zinc Plated
12.70 (0.500") -0.10 / -0.23 (mm)	19.44 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-127-0194-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
12.70 (0.500") -0.10 / -0.23 (mm)	19.44 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-127-0194-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
12.70 (0.500") -0.10 / -0.23 (mm)	19.44 (0.765") +0.51 / -0.00	25.40 +0.51 / -0.00	CLP-127-0194-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
12.70 (0.500")	25.40 (1.000")	38.10	BLP-127-0254-CZ	Self Locking Ball Type - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
12.70 (0.500")	25.79 (1.015")	31.75	CLP-127-0258-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	25.79 (1.015")	31.75	CLP-127-0258-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	25.79 (1.015")	31.75	CLP-127-0258-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	28.97 (1.140")	34.93	CLP-127-0290-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	30.16 (1.187")	36.12	CLP-127-0302-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	30.56 (1.203")	34.52	CLP-127-0306-P	Pin Locking Type (3.8 mm) - Plain
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Low Carbon Steel - Pin Locking</a>
12.70 (0.500")	32.14 (1.265")	38.10	CLP-127-0321-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	32.14 (1.265")	38.10	CLP-127-0321-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	32.14 (1.265")	38.10	CLP-127-0321-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	32.15 (1.266")	38.10	CLP-127-0322-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	38.10 (1.500")	50.80	BLP-127-0381-CZ	Self Locking Ball Type - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
12.70 (0.500")	38.49 (1.515")	44.45	CLP-127-0385-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	38.49 (1.515")	44.45	CLP-127-0385-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	38.49 (1.515")	44.45	CLP-127-0385-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	44.84 (1.765")	50.80	CLP-127-0448-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	44.84 (1.765")	50.80	CLP-127-0448-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	44.84 (1.765")	50.80	CLP-127-0448-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	50.80 (2.000")	63.50	BLP-127-0508-CZ	Self Locking Ball Type - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
12.70 (0.500")	51.19 (2.015")	57.15	CLP-127-0512-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	51.19 (2.015")	57.15	CLP-127-0512-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	51.19 (2.015")	57.15	CLP-127-0512-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	57.54 (2.265")	63.50	CLP-127-0575-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	57.54 (2.265")	63.50	CLP-127-0575-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	57.54 (2.265")	63.50	CLP-127-0575-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	60.72 (2.390")	66.68	CLP-127-0607-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	63.50 (2.500")	76.20	BLP-127-0635-CZ	Self Locking Ball Type - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
12.70 (0.500")	63.89 (2.515")	69.85	CLP-127-0639-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	63.89 (2.515")	69.85	CLP-127-0639-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	63.89 (2.515")	69.85	CLP-127-0639-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500")	70.24 (2.765")	76.20	CLP-127-0702-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500")	70.24 (2.765")	76.20	CLP-127-0702-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500")	70.24 (2.765")	76.20	CLP-127-0702-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.23 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>

Stocked or Short Delivery    
  Usually Available Short Delivery    
  Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
12.70 (0.500") -0.10 / -0.23 (mm)	70.25 (2.766") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-127-0703-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	76.20 (3.000") +0.51 / -0.00	+0.51 / -0.00	CLP-127-0762-CZ-HB	Pin Locking Type (mm) - Plain <a href="#">Pins - Clevis - Handle - Bent - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	76.20 (3.000") +0.51 / -0.00	88.90 +0.51 / -0.00	BLP-127-0762-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
12.70 (0.500") -0.10 / -0.23 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-127-0829-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-127-0829-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-127-0829-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	82.95 (3.266") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-127-0830-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	88.90 (3.500") +0.51 / -0.00	101.60 +0.51 / -0.00	BLP-127-0889-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
12.70 (0.500") -0.10 / -0.23 (mm)	92.08 (3.625") +0.51 / -0.00	+0.51 / -0.00	CLP-127-0921-CZ-HPC	Pin Locking Type (mm) - Plain <a href="#">Pins - Clevis - Handle - Straight - Powder Coated - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-127-0956-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-127-0956-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-127-0956-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	101.60 (4.000") +0.51 / -0.00	+0.51 / -0.00	CLP-127-1016-CZ-H	Pin Locking Type (mm) - Plain <a href="#">Pins - Clevis - Handle - Straight - Plain - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	108.34 (4.265") +0.51 / -0.00	114.30 +0.51 / -0.00	CLP-127-1083-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	108.34 (4.265") +0.51 / -0.00	114.30 +0.51 / -0.00	CLP-127-1083-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	108.34 (4.265") +0.51 / -0.00	114.30 +0.51 / -0.00	CLP-127-1083-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	114.30 (4.500") +0.51 / -0.00	127.00 +0.51 / -0.00	BLP-127-1143-CZ	Self Locking Ball Type - Zinc Plated <a href="#">Pins - Clevis - Self Locking - Zinc Plated</a>
12.70 (0.500") -0.10 / -0.23 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-127-1210-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-127-1210-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	146.44 (5.765") +0.51 / -0.00	152.40 +0.51 / -0.00	CLP-127-1464-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
12.70 (0.500") -0.10 / -0.23 (mm)	159.14 (6.265") +0.51 / -0.00	165.10 +0.51 / -0.00	CLP-127-1591-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.00 (0.551") -0.10 / -0.23 (mm)	33.00 (1.299") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-140-0330-CZ	Pin Locking Type (4.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.00 (0.551") -0.10 / -0.23 (mm)	43.00 (1.693") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-140-0430-CZ	Pin Locking Type (4.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.00 (0.551") -0.10 / -0.23 (mm)	53.00 (2.087") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-140-0530-CZ	Pin Locking Type (4.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.29 (0.563") -0.10 / -0.23 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-143-0321-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.29 (0.563") -0.10 / -0.23 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-143-0448-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.29 (0.563") -0.10 / -0.23 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-143-0575-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.29 (0.563") -0.10 / -0.23 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-143-0702-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
14.29 (0.563") -0.10 / -0.23 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-143-0956-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
15.88 (0.625") -0.10 / -0.23 (mm)	25.79 (1.015") +0.51 / -0.00	31.75 +0.51 / -0.00	CLP-159-0258-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
15.88 (0.625") -0.10 / -0.23 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-159-0321-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
15.88 (0.625") -0.10 / -0.23 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-159-0321-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless <a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
15.88 (0.625") -0.10 / -0.23 (mm)	32.14 (1.265") +0.51 / -0.00	38.10 +0.51 / -0.00	CLP-159-0321-CZ	Pin Locking Type (3.8 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
15.88 (0.625") -0.10 / -0.23 (mm)	36.91 (1.453") +0.51 / -0.00	40.87 +0.51 / -0.00	CLP-159-0369-P	Pin Locking Type (3.8 mm) - Plain Pins - Clevis - Low Carbon Steel - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-159-0385-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-159-0385-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	38.49 (1.515") +0.51 / -0.00	44.45 +0.51 / -0.00	CLP-159-0385-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	40.64 (1.600") +0.51 / -0.00	46.84 +0.51 / -0.00	CLP-159-0406-P	Pin Locking Type (3.8 mm) - Plain Pins - Clevis - Low Carbon Steel - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-159-0448-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-159-0448-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-159-0448-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-159-0512-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-159-0512-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-159-0512-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-159-0575-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-159-0575-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-159-0575-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-159-0702-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-159-0702-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-159-0702-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	76.20 (3.000") +0.51 / -0.00	+0.51 / -0.00	CLP-159-0762-CZ-HB	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Bent - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-159-0829-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-159-0829-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless Pins - Clevis - Stainless Steel 316 - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-159-0829-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-159-0956-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	101.60 (4.000") +0.51 / -0.00	+0.51 / -0.00	CLP-159-1016-CZ-HPC	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Straight - Powder Coated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	101.60 (4.000") +0.51 / -0.00	+0.51 / -0.00	CLP-159-1016-CZ-H	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Straight - Plain - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	108.34 (4.265") +0.51 / -0.00	114.30 +0.51 / -0.00	CLP-159-1083-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-159-1210-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	133.74 (5.265") +0.51 / -0.00	139.70 +0.51 / -0.00	CLP-159-1337-CZ	Pin Locking Type (3.8 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
15.88 (0.625") -0.10 / -0.23 (mm)	152.40 (6.000") +0.51 / -0.00	+0.51 / -0.00	CLP-159-1524-CZ-H	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Straight - Plain - Pin Locking
16.00 (0.630") -0.10 / -0.23 (mm)	32.00 (1.260") +0.51 / -0.00	40.00 +0.51 / -0.00	CLP-160-0320-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
16.00 (0.630") -0.10 / -0.23 (mm)	43.00 (1.693") +0.51 / -0.00	50.00 +0.51 / -0.00	CLP-160-0430-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
16.00 (0.630") -0.10 / -0.23 (mm)	53.00 (2.087") +0.51 / -0.00	60.00 +0.51 / -0.00	CLP-160-0530-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
19.05 (0.750") -0.10 / -0.28 (mm)	43.66 (1.719") +0.51 / -0.00	48.41 +0.51 / -0.00	CLP-191-0437-P	Pin Locking Type (3.8 mm) - Plain Pins - Clevis - Low Carbon Steel - Pin Locking
19.05 (0.750") -0.10 / -0.28 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-191-0448-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless Pins - Clevis - Stainless Steel 300 Grade - Pin Locking

Stocked or Short Delivery    
 Usually Available Short Delivery    
 Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
19.05 (0.750")	44.84 (1.765")	50.80	CLP-191-0448-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	44.84 (1.765")	50.80	CLP-191-0448-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	57.54 (2.265")	63.50	CLP-191-0575-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
19.05 (0.750")	57.54 (2.265")	63.50	CLP-191-0575-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	57.54 (2.265")	63.50	CLP-191-0575-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	63.89 (2.515")	69.85	CLP-191-0639-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
19.05 (0.750")	63.89 (2.515")	69.85	CLP-191-0639-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	63.89 (2.515")	69.85	CLP-191-0639-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	70.24 (2.765")	76.20	CLP-191-0702-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
19.05 (0.750")	70.24 (2.765")	76.20	CLP-191-0702-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	70.24 (2.765")	76.20	CLP-191-0702-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	82.94 (3.265")	88.90	CLP-191-0829-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
19.05 (0.750")	82.94 (3.265")	88.90	CLP-191-0829-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	82.94 (3.265")	88.90	CLP-191-0829-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	88.90 (3.500")		CLP-191-0889-CZ-HB	Pin Locking Type (mm) - Plain
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Handle - Bent - Pin Locking</a>
19.05 (0.750")	89.29 (3.515")	95.25	CLP-191-0893-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
19.05 (0.750")	89.29 (3.515")	95.25	CLP-191-0893-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	89.29 (3.515")	95.25	CLP-191-0893-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	95.64 (3.765")	101.60	CLP-191-0956-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
19.05 (0.750")	95.64 (3.765")	101.60	CLP-191-0956-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	95.64 (3.765")	101.60	CLP-191-0956-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	107.95 (4.250")		CLP-191-1080-CZ-H	Pin Locking Type (mm) - Plain
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Handle - Straight - Plain - Pin Locking</a>
19.05 (0.750")	108.34 (4.265")	114.30	CLP-191-1083-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	121.04 (4.765")	127.00	CLP-191-1210-S4	Pin Locking Type (3.8 mm) - 300 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 300 Grade - Pin Locking</a>
19.05 (0.750")	121.04 (4.765")	127.00	CLP-191-1210-S6	Pin Locking Type (3.8 mm) - 316 Grade Stainless
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Stainless Steel 316 - Pin Locking</a>
19.05 (0.750")	121.04 (4.765")	127.00	CLP-191-1210-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	133.74 (5.265")	139.70	CLP-191-1337-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	146.44 (5.765")	152.40	CLP-191-1464-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	158.75 (6.250")		CLP-191-1588-CZ-H	Pin Locking Type (mm) - Plain
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Handle - Straight - Plain - Pin Locking</a>
19.05 (0.750")	159.14 (6.265")	165.10	CLP-191-1591-CZ	Pin Locking Type (3.8 mm) - Zinc Plated
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
19.05 (0.750")	165.10 (6.500")		CLP-191-1651-CZ-HPC	Pin Locking Type (mm) - Plain
-0.10 / -0.28 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Handle - Straight - Powder Coated - Pin Locking</a>
22.23 (0.875")	44.84 (1.765")	50.80	CLP-222-0448-CZ	Pin Locking Type (4.0 mm) - Zinc Plated
-0.10 / -0.35 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
22.23 (0.875")	57.54 (2.265")	63.50	CLP-222-0575-CZ	Pin Locking Type (4.0 mm) - Zinc Plated
-0.10 / -0.35 (mm)	+0.51 / -0.00	+0.51 / -0.00		<a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>

  Stocked or Short Delivery     
   Usually Available Short Delivery     
   Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts



# Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
22.23 (0.875") -0.10 / -0.35 (mm)	63.89 (2.515") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-222-0639-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
22.23 (0.875") -0.10 / -0.35 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-222-0702-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
22.23 (0.875") -0.10 / -0.35 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-222-0829-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
22.23 (0.875") -0.10 / -0.35 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-222-0956-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
22.23 (0.875") -0.10 / -0.35 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-222-1210-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
22.23 (0.875") -0.10 / -0.35 (mm)	146.44 (5.765") +0.51 / -0.00	152.40 +0.51 / -0.00	CLP-222-1464-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
22.23 (0.875") -0.10 / -0.28 (mm)	165.10 (6.500") +0.51 / -0.00	+0.51 / -0.00	CLP-222-1651-CZ-H	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Straight - Plain - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	44.84 (1.765") +0.51 / -0.00	50.80 +0.51 / -0.00	CLP-254-0448-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	51.19 (2.015") +0.51 / -0.00	57.15 +0.51 / -0.00	CLP-254-0512-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	57.54 (2.265") +0.51 / -0.00	63.50 +0.51 / -0.00	CLP-254-0575-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	63.89 (2.515") +0.51 / -0.00	69.85 +0.51 / -0.00	CLP-254-0639-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-254-0702-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	76.59 (3.015") +0.51 / -0.00	82.55 +0.51 / -0.00	CLP-254-0766-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	82.94 (3.265") +0.51 / -0.00	88.90 +0.51 / -0.00	CLP-254-0829-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	89.29 (3.515") +0.51 / -0.00	95.25 +0.51 / -0.00	CLP-254-0893-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-254-0956-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	108.34 (4.265") +0.51 / -0.00	114.30 +0.51 / -0.00	CLP-254-1083-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-254-1210-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	133.74 (5.265") +0.51 / -0.00	139.70 +0.51 / -0.00	CLP-254-1337-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	146.44 (5.765") +0.51 / -0.00	152.40 +0.51 / -0.00	CLP-254-1464-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	171.45 (6.750") +0.51 / -0.00	+0.51 / -0.00	CLP-254-1715-CZ-H	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Straight - Plain - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	171.84 (6.765") +0.51 / -0.00	177.80 +0.51 / -0.00	CLP-254-1718-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	190.50 (7.500") +0.51 / -0.00	+0.51 / -0.00	CLP-254-1905-CZ-HPC	Pin Locking Type (mm) - Plain Pins - Clevis - Handle - Straight - Powder Coated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	197.24 (7.765") +0.51 / -0.00	203.20 +0.51 / -0.00	CLP-254-1972-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
25.40 (1.000") -0.10 / -0.35 (mm)	222.64 (8.765") +0.51 / -0.00	228.60 +0.51 / -0.00	CLP-254-2226-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
28.58 (1.125") -0.10 / -0.35 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-286-0702-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
28.58 (1.125") -0.10 / -0.35 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-286-0956-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
28.58 (1.125") -0.10 / -0.35 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-286-1210-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
28.58 (1.125") -0.10 / -0.35 (mm)	146.44 (5.765") +0.51 / -0.00	152.40 +0.51 / -0.00	CLP-286-1464-CZ	Pin Locking Type (4.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
31.75 (1.250") -0.10 / -0.35 (mm)	70.24 (2.765") +0.51 / -0.00	76.20 +0.51 / -0.00	CLP-318-0702-CZ	Pin Locking Type (5.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
31.75 (1.250") -0.10 / -0.35 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-318-0956-CZ	Pin Locking Type (5.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
31.75 (1.250") -0.10 / -0.35 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-318-1210-CZ	Pin Locking Type (5.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking
31.75 (1.250") -0.10 / -0.35 (mm)	146.44 (5.765") +0.51 / -0.00	152.40 +0.51 / -0.00	CLP-318-1464-CZ	Pin Locking Type (5.0 mm) - Zinc Plated Pins - Clevis - Zinc Plated - Pin Locking

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

## Standard Clevis Pins

Nom. Pin Diameter (D) mm (inches)	Grip Length (EL) mm	Nom. Length (L) mm	Part Number	
31.75 (1.250") -0.10 / -0.35 (mm)	177.80 (7.000") +0.51 / -0.00	+0.51 / -0.00	CLP-318-1778-CZ-H	Pin Locking Type (mm) - Plain <a href="#">Pins - Clevis - Handle - Straight - Plain - Pin Locking</a>
31.75 (1.250") -0.10 / -0.35 (mm)	197.24 (7.765") +0.51 / -0.00	203.20 +0.51 / -0.00	CLP-318-1972-CZ	Pin Locking Type (5.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
38.10 (1.500") -0.10 / -0.45 (mm)	95.64 (3.765") +0.51 / -0.00	101.60 +0.51 / -0.00	CLP-381-0956-CZ	Pin Locking Type (5.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
38.10 (1.500") -0.10 / -0.45 (mm)	121.04 (4.765") +0.51 / -0.00	127.00 +0.51 / -0.00	CLP-381-1210-CZ	Pin Locking Type (5.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>
38.10 (1.500") -0.10 / -0.45 (mm)	146.44 (5.765") +0.51 / -0.00	152.40 +0.51 / -0.00	CLP-381-1464-CZ	Pin Locking Type (5.0 mm) - Zinc Plated <a href="#">Pins - Clevis - Zinc Plated - Pin Locking</a>



Stocked or Short Delivery



Usually Available Short Delivery



Long delivery or not in current production

\* Large Minimum Quantities

\*\* Available only while stock lasts

## Tips

Clevis pins are used as a quick and secure fastener instead of bolts or rivets. Designed with a flat head on one end and groove or cross-hole at the other, a clevis pin is inserted through the holes at the pronged ends of a clevis and is kept in place by a locking pin or clip.

Don't confuse the effective length (EL) with the overall length (L). The effective length is the distance between the bottom of the head and the start of the locking pin hole or clip groove. This is the length that can be secured by the pin.

Adjustable clevis pins have multiple locking holes, allowing for securing at a range of effective lengths.

We also have a general pins catalogue which includes many different types of locking pins.

PDF catalogues are available for the many types of locking pins and clips that can be used to secure a clevis pin.

Catalogue items on a dark grey background are usually made to order and will require large quantities for an economical price. Where possible please use items shown against a white background.



## Distributed By

Miniature Bearings Australia  
<http://www.minibearings.com.au>  
[sales@minibearings.com.au](mailto:sales@minibearings.com.au)

Resellers: Please place your contact sticker over our details

## Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

**Clevis Pins**